

Sl. No.	Description	Retail Selling Price Including VAT Per 100 Metre
01.	PVC Insulated Non-Sheathed Single Core Cable 450/750V. (BDS:900/2000 & BS:6004/84)	
	BYA	
01.	1 x 0.5 re (1-w)	851.00
02.	1 x 0.75 re (1-w)	1,203.00
03.	1 x 1.0 re (1-w)	1,551.00
04.	1 x 1.0 rm (3-w)	1,595.00
05.	1 x 1.3 rm 3-w	2,032.00
06.	1 x 1.5 re (1-w)	2,274.00
07.	1 x 1.5 rm (3-w)	2,328.00
08.	1 x 1.5 rm (7-w)	2,329.00
09.	1 x 2.0 rm (3-w)	3,090.00
10.	1 x 2.5 re (1-w)	3,721.00
11.	1 x 2.5 rm (7-w)	3,770.00
12.	1 x 3 rm (7-w)	4,552.00
13.	1 x 4 rm (7-w)	5,920.00
14.	1 x 4.5 rm (7-w)	6,759.00
15.	1 x 6 rm (7-w)	8,902.00
16.	1 x 7.0 rm (7-w)	10,226.00
17.	1 x 9.5 rm (7-w)	14,024.00
18.	1 x 10 rm (7-w)	14,666.00
19.	1 x 14.5 rm (7-w)	21,246.00
20.	1 x 16 rm (7-w)	23,271.00
21.	1 x 16 rm (19-w)	23,358.00
22.	1 x 25 rm (7-w)	42,490.00
23.	1 x 25 rm (19-w)	42,818.00
24.	1 x 35 rm (19-w)	58,775.00
25.	1 x 50 rm (19-w)	83,876.00
26.	1 x 70 rm (19-w)	117,209.00
27.	1 x 95 rm (19-w)	157,823.00
28.	1 x 120 rm (37-w)	198,687.00
29.	1 x 150 rm (37-w)	248,452.00
30.	1 x 185 rm (37-w)	306,247.00
31.	1 x 240 rm (37-w)	398,714.00
32.	1 x 300 rm (61-w)	496,130.00
33.	1 x 400 rm (61-w)	661,621.00
34.	1 x 500 rm (61-w)	825,615.00
35.	1 x 630 rm (127-w)	1,043,969.00
02.	FR PVC Insulated Non-Sheathed Single Core Cable 450/750V. (BDS:900/2000 & BS:6004/84)	
	BYA- FR	
01.	1 x 1.0 re (1-w)	1,581.00
02.	1 x 1.3 rm (3-w)	2,079.00
03.	1 x 1.5 re (1-w)	2,307.00
04.	1 x 1.5 rm (7-w)	2,359.00
05.	1 x 2.0 rm (3-w)	3,144.00
06.	1 x 2.5 re (1-w)	3,772.00
07.	1 x 2.5 rm (7-w)	3,833.00
08.	1 x 3 rm (7-w)	4,610.00
09.	1 x 4 rm (7-w)	5,983.00
10.	1 x 4.5 rm (7-w)	6,821.00
11.	1 x 6 rm (7-w)	8,978.00
12.	1 x 7 rm (7-w)	10,330.00
13.	1 x 9.5 rm (7-w)	14,145.00
14.	1 x 10 rm (7-w)	14,788.00
15.	1 x 14.5 rm (7-w)	21,349.00
16.	1 x 16 rm (7-w)	23,424.00
17.	1 x 16 rm (19-w)	23,514.00
18.	1 x 25 rm (7-w)	42,755.00
19.	1 x 25 rm (19-w)	42,886.00
20.	1 x 35 rm (19-w)	59,086.00
21.	1 x 50 rm (19-w)	84,308.00
22.	1 x 70 rm (19-w)	117,708.00
23.	1 x 95 rm (19-w)	158,467.00
24.	1 x 120 rm (37-w)	199,402.00
25.	1 x 150 rm (37-w)	249,353.00

Sl. No.	Description	Retail Selling Price Including VAT Per 100 Metre
03.	PVC Insulated PVC sheathed Single/Multi Core(Circular) 300/500V.(BDS:900/2000 & BS:6004/84)	
	BYM	
01.	1 x 1.0 re (1-w)	2,013.00
02.	1 x 1.3 rm - 3-w	2,653.00
03.	1 x 1.5 re (1-w)	2,869.00
04.	1 x 1.5 rm (7-w)	2,943.00
05.	1 x 2.0 rm - 3-w	3,813.00
06.	1 x 2.5 re (1-w)	4,448.00
07.	1 x 2.5 rm (7-w)	4,536.00
08.	1 x 3 rm - 7-w	5,458.00
09.	1 x 4 rm (7-w)	6,912.00
10.	1 x 4.5 rm - 7-w	7,800.00
11.	1 x 6 rm (7-w)	10,059.00
12.	1 x 7 rm - 7-w	11,361.00
13.	1 x 9.5 rm - 7-w	15,620.00
14.	1 x 10 rm (7-w)	16,301.00
15.	1 x 14.5 rm - 7-w	23,307.00
16.	1 x 16 rm (7-w)	25,673.00
17.	1 x 16 rm (19-w)	25,889.00
18.	1 x 25 rm (7-w)	45,051.00
19.	1 x 25 rm (19-w)	45,242.00
20.	1 x 35 rm (19-w)	61,888.00
21.	1 x 50 rm (19-w)	88,030.00
22.	1 x 70 rm (19-w)	122,044.00
23.	1 x 95 rm (19-w)	162,924.00
01.	2 x 1.0 re (1-w)	6,291.00
02.	2 x 1.5 re (1-w)	8,555.00
03.	2 x 1.5 rm (7-w)	8,979.00
04.	2 x 2.5 re (1-w)	12,763.00
05.	2 x 2.5 rm (7-w)	13,210.00
06.	2 x 4 rm (7-w)	19,077.00
07.	2 x 6 rm (7-w)	26,732.00
08.	2 x 10 rm (7-w)	43,692.00
09.	2 x 16 rm (7-w)	65,750.00
10.	2 x 25 rm (7-w)	102,218.00
11.	2 x 35 rm (19-w)	138,328.00
01.	3 x 1.0 re (1-w)	8,080.00
02.	3 x 1.5 re (1-w)	11,324.00
03.	3 x 1.5 rm (7-w)	11,828.00
04.	3 x 2.5 re (1-w)	17,349.00
05.	3 x 2.5 rm (7-w)	18,799.00
06.	3 x 4 rm (7-w)	27,085.00
07.	3 x 6 rm (7-w)	38,543.00
08.	3 x 10 rm (7-w)	61,213.00
09.	3 x 16 rm (7-w)	94,187.00
10.	3 x 25 rm (7-w)	145,933.00
11.	3 x 35 sm (19-w)	189,465.00
01.	4 x 1.0 re (1-w)	10,496.00
02.	4 x 1.5 re (1-w)	14,456.00
03.	4 x 1.5 rm (7-w)	14,890.00
04.	4 x 2.5 re (1-w)	22,164.00
05.	4 x 2.5 rm (7-w)	22,792.00
06.	4 x 4 rm (7-w)	34,279.00
07.	4 x 6 rm (7-w)	49,568.00
08.	4 x 10 rm (7-w)	79,225.00
09.	4 x 16 rm (7-w)	122,736.00
10.	4 x 25 rm (7-w)	191,194.00
11.	4 x 25 rm (19-w)	192,180.00
12.	4 x 35 sm (19-w)	252,934.00
04.	Copper Conductor, PE Insulated & PVC Sheathed	
	COAXIAL CABLE	
01	4/C	3,593.00
02	5/C	4,275.00
03	RG-6/6u	5,237.00
04	6/C	5,647.00
05	RG-11	8,392.00

Signature

Sl. No.	Description	Retail Selling Price Including VAT Per 100 Metre
05	PVC Insulated PVC sheathed Single/Multi Core Cable Rated voltage 600/1000V, Permissible Voltage 720/1200 (VDE 0271/3.69, BDS IEC :60502/2005) NYY	
01	1 x 1.5 re (1-w)	4,384.00
02	1 x 1.5 rm (7-w)	4,500.00
03	1 x 2.5 re (1-w)	6,293.00
04	1 x 2.5 rm (7-w)	6,447.00
05	1 x 4 rm (7-w)	9,301.00
06	1 x 6 rm (7-w)	13,242.00
07	1 x 10 rm (7-w)	20,132.00
08	1 x 16 rm (7-w)	30,580.00
09	1 x 16 rm (19-w)	30,856.00
10	1 x 25 rm (7-w)	46,800.00
11	1 x 25 rm (19-w)	47,057.00
12	1 x 35 rm (19-w)	63,406.00
13	1 x 50 rm (19-w)	89,654.00
14	1 x 70 rm (19-w)	123,819.00
15	1 x 95 rm (19-w)	165,691.00
16	1 x 120 rm (37-w)	207,679.00
17	1 x 150 rm (37-w)	258,977.00
18	1 x 185 rm (37-w)	319,230.00
19	1 x 240 rm (37-w)	413,595.00
20	1 x 300 rm (61-w)	513,659.00
21	1 x 400 rm (61-w)	683,950.00
22	1 x 500 rm (61-w)	853,272.00
23	1 x 630 rm (127-w)	1,075,871.00
01	2 x 1.0 re (1-w)	10,213.00
02	2 x 1.5 re (1-w)	10,759.00
03	2 x 1.5 rm (7-w)	11,100.00
04	2 x 2.5 re (1-w)	15,242.00
05	2 x 2.5 rm (7-w)	15,532.00
06	2 x 4 rm (7-w)	22,125.00
07	2 x 6 rm (7-w)	30,467.00
08	2 x 10 rm (7-w)	46,115.00
09	2 x 16 rm (7-w)	68,035.00
10	2 x 16 rm (19-w)	68,431.00
11	2 x 25 rm (7-w)	105,394.00
12	2 x 25 rm (19-w)	105,915.00
13	2 x 35 rm (19-w)	141,005.00
01	3 x 1.0 re (1-w)	10,721.00
02	3 x 1.5 re (1-w)	13,618.00
03	3 x 1.5 rm (7-w)	14,022.00
04	3 x 2.5 re (1-w)	19,588.00
05	3 x 2.5 rm (7-w)	20,157.00
06	3 x 4 rm (7-w)	29,531.00
07	3 x 6 rm (7-w)	41,114.00
08	3 x 10 rm (7-w)	63,282.00
09	3 x 16 rm (7-w)	97,165.00
10	3 x 16 rm (19-w)	97,736.00
11	3 x 25 rm (7-w)	149,369.00
12	3 x 25 rm (19-w)	149,714.00
13	3 x 35 sm (19-w)	190,703.00
14	3 x 50 sm (19-w)	270,517.00
15	3 x 70 sm (19-w)	374,016.00
16	3 x 95 sm (19-w)	503,894.00
17	3 x 120 sm (37-w)	631,194.00
18	3 x 150 sm (37-w)	786,042.00
19	3 x 185 sm (37-w)	971,673.00
20	3 x 240 sm (37-w)	1,258,118.00
21	3 x 300 sm (61-w)	1,568,692.00
22	3 x 400 sm (61-w)	2,086,723.00
01	3 x 25 rm / 16 rm (7/7-w)	180,243.00
02	3 x 35 sm / 16 rm (19/7-w)	224,835.00
03	3 x 50 sm / 25 rm (19/7-w)	319,528.00
04	3 x 70 sm / 35 rm (19/19-w)	448,353.00
05	3 x 95 sm / 50 rm (19/19-w)	608,417.00
06	3 x 120sm / 70 rm (37/19-w)	768,758.00
07	3 x 150sm / 70 rm (37/19-w)	923,528.00

Sl. No.	Description	Retail Selling Price Including VAT Per 100 Metre
	Contd. NYN	
08	3 x 185sm / 95 rm (37/19-w)	1,149,888.00
09	3 x 240sm / 120 rm (37/37-w)	1,488,899.00
10	3 x 300sm / 150 rm (61/37-w)	1,853,122.00
01	4 x 1.0 re (1-w)	13,785.00
02	4 x 1.5 re (1-w)	17,442.00
03	4 x 1.5 rm (7-w)	17,722.00
04	4 x 2.5 re (1-w)	25,389.00
05	4 x 2.5 rm (7-w)	26,520.00
06	4 x 4 rm (7-w)	38,189.00
07	4 x 6 rm (7-w)	54,305.00
08	4 x 10 rm (7-w)	83,742.00
09	4 x 16 rm (7-w)	128,009.00
10	4 x 16 rm (19-w)	128,924.00
11	4 x 25 rm (7-w)	197,493.00
12	4 x 25 rm (19-w)	197,659.00
13	4 x 35 sm (19-w)	257,158.00
14	4 x 50 sm (19-w)	363,269.00
15	4 x 70 sm (19-w)	501,913.00
16	4 x 95 sm (19-w)	678,552.00
17	4 x 120 sm (37-w)	845,543.00
18	4 x 150 sm (37-w)	1,056,384.00
19	4 x 185 sm (37-w)	1,298,572.00
20	4 x 240 sm (37-w)	1,693,775.00
21	4 x 300 sm (61-w)	2,127,485.00
06	PVC Insulated and PVC Sheathed Multi Core Cable Rated voltage 600/1000V, Permissible Voltage 720/1200V (VDE 0271/3.69)- NYN-1	
01	5 x 1.5 re	18,395.00
02	5 x 1.5 rm	18,928.00
03	6 x 1.5 re	21,768.00
04	7 x 1.5 re	24,109.00
05	7 x 1.5 rm	24,709.00
06	8 x 1.5 re	28,257.00
07	8 x 1.5 rm	29,047.00
08	10 x 1.5 re	33,765.00
09	10 x 1.5 rm	34,547.00
10	12 x 1.5 re	39,458.00
11	16 x 1.5 re	51,559.00
12	19 x 1.5 re	59,978.00
13	19 x 1.5 rm	62,020.00
14	20 x 1.5 re	63,287.00
15	21 x 1.5 re	65,987.00
16	24 x 1.5 re	75,098.00
17	27 x 1.5 rm	86,295.00
18	29 x 1.5 re	90,412.00
19	30 x 1.5 re	93,083.00
20	32 x 1.5 re	99,288.00
21	33 x 1.5 re	102,057.00
22	36 x 1.5 re	110,762.00
23	37 x 1.5 rm	115,849.00
24	40 x 1.5 re	122,160.00
25	5 x 2.5 re	27,843.00
26	7 x 2.5 re	37,078.00
27	8 x 2.5 re	43,509.00
28	10 x 2.5 re	52,097.00
29	12 x 2.5 re	61,338.00
30	12 x 2.5 rm	62,623.00
31	16 x 2.5 re	80,385.00
32	21 x 2.5 re	104,711.00
33	24 x 2.5 re	119,476.00
34	30 x 2.5 re	147,079.00
35	5 x 4 rm	42,775.00
36	7 x 4 rm	57,400.00
37	8 x 4 rm	67,622.00
38	10 x 4 rm	81,001.00
39	12 x 4 rm	96,617.00

Stalham

Sl. No.	Description	Retail Selling Price Including VAT Per 100 Metre
07.	XLPE Insulated PVC sheathed Single/Multi Core Cable Rated voltage 600/1000V, Permissible Voltage 720/1200 V (IEC-60502-1) 2xY	
01.	1 x 1.5 re (1-w)	4,384.00
02.	1 x 1.5 rm (7-w)	4,500.00
03.	1 x 2.5 re (1-w)	6,293.00
04.	1 x 2.5 rm (7-w)	6,447.00
05.	1 x 4 rm (7-w)	9,301.00
06.	1 x 6 rm (7-w)	13,242.00
07.	1 x 10 rm (7-w)	20,132.00
08.	1 x 16 rm (7-w)	30,580.00
09.	1 x 16 rm (19-w)	30,856.00
10.	1 x 25 rm (7-w)	46,800.00
11.	1 x 25 rm (19-w)	47,057.00
12.	1 x 35 rm (19-w)	63,406.00
13.	1 x 50 rm (19-w)	89,654.00
14.	1 x 70 rm (19-w)	123,819.00
15.	1 x 95 rm (19-w)	165,691.00
16.	1 x 120 rm (37-w)	207,679.00
17.	1 x 150 rm (37-w)	258,977.00
18.	1 x 185 rm (37-w)	319,230.00
19.	1 x 240 rm (37-w)	413,595.00
20.	1 x 300 rm (61-w)	513,659.00
21.	1 x 400 rm (61-w)	683,950.00
22.	1 x 500 rm (61-w)	853,272.00
23.	1 x 630 rm (127-w)	1,075,871.00
01.	2 x 1.5 re (1-w)	10,759.00
02.	2 x 1.5 rm (7-w)	11,100.00
03.	2 x 2.5 re (1-w)	15,242.00
04.	2 x 2.5 rm (7-w)	15,532.00
05.	2 x 4 rm (7-w)	22,125.00
06.	2 x 6 rm (7-w)	30,467.00
07.	2 x 10 rm (7-w)	46,115.00
08.	2 x 16 rm (7-w)	68,035.00
09.	2 x 16 rm (19-w)	68,431.00
10.	2 x 25 rm (7-w)	105,394.00
11.	2 x 25 rm (19-w)	105,915.00
12.	2 x 35 rm (19-w)	141,005.00
01.	3 x 1.5 re (1-w)	13,618.00
02.	3 x 1.5 rm (7-w)	14,022.00
03.	3 x 2.5 re (1-w)	19,588.00
04.	3 x 2.5 rm (7-w)	20,157.00
05.	3 x 4 rm (7-w)	29,531.00
06.	3 x 6 rm (7-w)	41,114.00
07.	3 x 10 rm (7-w)	63,282.00
08.	3 x 16 rm (7-w)	97,165.00
09.	3 x 16 rm (19-w)	97,736.00
10.	3 x 25 rm (7-w)	149,369.00
11.	3 x 25 rm (19-w)	149,714.00
12.	3 x 35 sm (19-w)	190,703.00
13.	3 x 50 sm (19-w)	270,517.00
14.	3 x 70 sm (19-w)	374,016.00
15.	3 x 95 sm (19-w)	503,894.00
16.	3 x 120 sm (37-w)	631,194.00
17.	3 x 150 sm (37-w)	786,042.00
18.	3 x 185 sm (37-w)	971,673.00
19.	3 x 240 sm (37-w)	1,258,118.00
20.	3 x 300 sm (61-w)	1,568,692.00
21.	3 x 400 sm (61-w)	2,086,723.00
01.	3 x 25 rm / 16 rm (7/7-w)	180,243.00
02.	3 x 35 sm / 16 rm (19/7-w)	224,835.00
03.	3 x 50 sm / 25 rm (19/7-w)	319,528.00
04.	3 x 70 sm / 35 rm (19/19-w)	448,353.00

Sl. No.	Description	Retail Selling Price Including VAT Per 100 Metre
	Cont'd. 2xY	
05.	3 x 95 sm / 50 rm (19/19-w)	608,417.00
06.	3 x 120sm / 70 rm (37/19-w)	768,758.00
07.	3 x 150sm / 70 rm (37/19-w)	923,528.00
08.	3 x 185sm / 95 rm (37/19-w)	1,149,888.00
09.	3 x 240sm / 120 rm (37/37-w)	1,488,899.00
10.	3 x 300sm / 150 rm (61/37-w)	1,853,122.00
01.	4 x 1.5 re (1-w)	17,442.00
02.	4 x 1.5 rm (7-w)	17,722.00
03.	4 x 2.5 re (1-w)	25,389.00
04.	4 x 2.5 rm (7-w)	26,520.00
05.	4 x 4 rm (7-w)	38,189.00
06.	4 x 6 rm (7-w)	54,305.00
07.	4 x 10 rm (7-w)	83,742.00
08.	4 x 16 rm (7-w)	128,009.00
09.	4 x 16 rm (19-w)	128,924.00
10.	4 x 25 rm (7-w)	197,493.00
11.	4 x 25 rm (19-w)	197,659.00
12.	4 x 35 sm (19-w)	257,158.00
13.	4 x 50 sm (19-w)	363,269.00
14.	4 x 70 sm (19-w)	501,913.00
15.	4 x 95 sm (19-w)	678,552.00
16.	4 x 120 sm (37-w)	845,543.00
17.	4 x 150 sm (37-w)	1,056,384.00
18.	4 x 185 sm (37-w)	1,298,572.00
19.	4 x 240 sm (37-w)	1,693,775.00
20.	4 x 300 sm (61-w)	2,127,485.00
08.	PVC Insulated field limiting semi conducting layers over each conductor and coreCopper sheild over each individual core, PVC inner sheath, flat steel wire armouring, followed by open PVC inner sheath, flat steel wireRated Voltage, 5.8 / 10 KV. Continuous Permissible Voltage 7000/12000 V. (VDE 0271/3.69 & BDS:901) NYSEYFGbY (H.T. Cable)	
01.	3 x 16 rm	291,342.00
02.	3 x 25 rm	360,861.00
03.	3 x 35 rm	429,997.00
04.	3 x 50 rm	521,386.00
05.	3 x 70 rm	662,775.00
06.	3 x 95 rm	823,164.00
07.	3 x 120 rm	985,114.00
08.	3 x 150 rm	1,175,360.00
09.	3 x 185 rm	1,394,554.00
10.	3 x 240 rm	1,726,187.00
11.	3 x 300 rm	2,058,364.00
12.	3 x 400 rm	2,644,898.00
09.	XLPE Insulated, Field limiting semi conducting layers over each copper Conductorand Core, Copper sheild over each individual core, PVC inner sheath,flat steel wire armouring followed by helical steel tapping and PVC outer sheathrated voltage 6.35/11 KV,(IEC:60502-2) N2xSEYFGbY/2xSEYFGY	
01.	3 x 25 rm	360,861.00
02.	3 x 35 rm	429,997.00
03.	3 x 50 rm	521,386.00
04.	3 x 70 rm	662,775.00
05.	3 x 95 rm	823,164.00
06.	3 x 120 rm	985,114.00
07.	3 x 150 rm	1,175,360.00
08.	3 x 185 rm	1,394,554.00
09.	3 x 240 rm	1,726,187.00
10.	3 x 300 rm	2,058,364.00
11.	3 x 400 rm	2,644,898.00

Signature

Sl. No.	Description	Retail Selling Price Including VAT Per 100 Metre
10.	PVC Insulated PVC Sheathed Steel Wire Armouring with helical steel tapping, single,two,three, three & half and four core cable 600/1000V (VDE:0271/3.69 & BDS:901/79) NYFGbY	
01.	1 x 300 rm (61-w)	558,538.00
02.	1 x 630 rm (127-w)	1,150,440.00
01.	2 x 2.5 re (1-w)	28,404.00
02.	2 x 4 rm (7-w)	37,537.00
03.	2 x 6 rm (7-w)	47,574.00
04.	2 x 10 rm (7-w)	64,052.00
05.	2 x 16 rm (7-w)	87,751.00
06.	2 x 25 rm (7-w)	131,347.00
07.	2 x 35 rm (19-w)	171,117.00
01.	3 x 1.5 re (1-w)	26,466.00
02.	3 x 1.5 rm (7-w)	27,359.00
03.	3 x 2.5 re (1-w)	33,980.00
04.	3 x 2.5 rm (7-w)	35,246.00
05.	3 x 4 rm (7-w)	46,959.00
06.	3 x 6 rm (7-w)	59,816.00
07.	3 x 10 rm (7-w)	82,136.00
08.	3 x 16 rm (7-w)	119,932.00
09.	3 x 25 rm (7-w)	177,689.00
10.	3 x 25 rm (19-w)	178,769.00
11.	3 x 35 sm (19-w)	218,398.00
12.	3 x 50 sm (19-w)	301,302.00
13.	3 x 70 sm (19-w)	410,936.00
14.	3 x 95 sm (19-w)	548,821.00
15.	3 x 120 sm (37-w)	685,646.00
16.	3 x 150 sm (37-w)	848,271.00
17.	3 x 185 sm (37-w)	1,043,673.00
18.	3 x 240 sm (37-w)	1,353,788.00
19.	3 x 300 sm (61-w)	1,667,245.00
20.	3 x 400 sm (61-w)	2,206,058.00
01.	3 X 25 rm / 16 rm (7/7-w)	209,033.00
02.	3 X 35 sm / 16 rm (19/7-w)	253,414.00
03.	3 X 50 sm / 25 rm (19/7-w)	353,112.00
04.	3 X 70 sm / 35 rm (19/19-w)	486,618.00
05.	3 X 95 sm / 50 rm (19/19-w)	649,479.00
06.	3 X 120 sm / 70 rm (37/19-w)	823,944.00
07.	3 X 150 sm / 70 rm (37/19-w)	989,821.00
08.	3 X 185 sm / 95 rm (37/19-w)	1,232,576.00
09.	3 x 240 sm / 120 rm (37/37-w)	1,582,118.00
10.	3 x 300 sm / 150 rm (61/37-w)	1,950,745.00
11.	3 X 400 sm / 185 rm (61/37-w)	2,575,287.00
01.	4 x 1.5 re (1-w)	30,812.00
02.	4 x 1.5 rm (7-w)	31,876.00
03.	4 x 2.5 re (1-w)	40,264.00
04.	4 x 2.5 rm (7-w)	41,409.00
05.	4 x 4 rm (7-w)	55,071.00
06.	4 x 6 rm (7-w)	72,033.00
07.	4 x 10 rm (7-w)	104,320.00
08.	4 x 16 rm (7-w)	152,354.00
09.	4 x 25 rm (7-w)	226,534.00
10.	4 x 35 sm (19-w)	285,129.00
11.	4 x 50 sm (19-w)	394,920.00
12.	4 x 70 sm (19-w)	545,681.00
13.	4 x 95 sm (19-w)	721,864.00
14.	4 x 120 sm (37-w)	898,650.00
15.	4 x 150 sm (37-w)	1,124,505.00
16.	4 x 185 sm (37-w)	1,380,256.00
17.	4 x 240 sm (37-w)	1,798,354.00
18.	4 x 300 sm (61-w)	2,207,882.00

Sl. No.	Description	Retail Selling Price Including VAT Per 100 Metre
11.	PVC Insulated PVC Sheathed Flat Cable 2/3 core 300/500 V. (BDS:900/79 & BS:6004/84) BYFY	
01.	2 x 1.0 re (1-w)	3,977.00
02.	2 x 1.3 rm - 3-w	5,080.00
03.	2 x 1.5 re (1-w)	5,684.00
04.	2 x 2.0 rm - 3-w	7,666.00
05.	2 x 2.5 re (1-w)	9,080.00
06.	2 x 3.0 rm - 7-w	10,838.00
07.	2 x 4 rm (7-w)	13,962.00
08.	2 x 4.5 rm - 7-w	15,945.00
09.	2 x 6 rm (7-w)	20,284.00
10.	2 x 7.0 rm - 7-w	23,138.00
11.	2 x 9.5 rm - 7-w	31,853.00
12.	2 x 10 rm (7-w)	33,258.00
13.	2 x 14.5 rm - 7-w	46,963.00
14.	2 x 16 rm (7-w)	51,201.00
01	3 x 1.0 re (1-w)	5,796.00
02	3 x 1.5 re (1-w)	8,456.00
03	3 x 2.5 re (1-w)	13,292.00
04	3 x 4 rm (7-w)	20,898.00
05	3 x 6 rm (7-w)	30,476.00
06	3 x 10 rm (7-w)	49,700.00
07	3 x 16 rm (7-w)	77,101.00
12.	PVC Insulated Three Core Laidup concentric neutral annealed Copper screening over common covering of cores & PVC Sheathed 600/1000V. (VDE 0271/3.69) NYCY	
01.	3 x 6 rm/ 4C	51,634.00
02.	3 x 10 rm/ 6C	76,790.00
03.	3 x 16 rm/ 10C	118,974.00
04.	3 X 25 rm / 16 C	184,918.00
05.	3 X 35 sm / 16 C	225,801.00
06.	3 X 50 sm / 25 C	319,373.00
07.	3 X 70 sm / 35 C	444,171.00
08.	3 X 95 sm / 50 C	604,261.00
09.	3 X 120 sm / 70 C	768,134.00
10.	3 X 150 sm / 70 C	934,012.00
11.	3 X 185 sm / 95 C	1,155,070.00
12.	3 X 240 sm / 120 C	1,489,984.00
13.	3 X 300 sm / 150 C	1,851,531.00
13.	Plain annealed flexible stranded copper Conductor covering with PVC or cotton tape and PVC Sheathed WELDING CABLE	
01.	1 x 25 rm	47,632.00
02.	1 x 35 rm	65,330.00
03.	1 x 50 rm	91,408.00
04.	1 x 70 rm	126,998.00
05.	1 x 95 rm	170,705.00
06.	1 x 120 rm	214,123.00
14.	ALUMINIUM CABLE BAYA	
01	1 x 1.3 rm - 3-w	467.00
02	1 x 2.0 rm - 3-w	614.00
03	1 x 3.0 rm - 7-w	756.00
04	1 x 4.5 rm - 7-w	1,057.00
05	1 x 7.0 rm - 7-w	1,540.00
06	1 x 9.5 rm - 7-w	1,987.00
07	1 x 14.5 rm - 7-w	2,900.00
	BAYFY	
01	2 x 3.0 rm - 7-w	3,205.00
02	2 x 4.5 rm - 7-w	4,077.00
03	2 x 7.0 rm - 7-w	4,947.00

Signature

Sl. No.	Description	Retail Selling Price Including VAT Per 100 Metre
15.	PVC insulated Flexible Cable 300/500 V. (BDS: 899/2000, BS: 6500/69)	
	01. 2 x 14/0.19 mm (14/0076 F/T)	2,045.00
	02. 2 x 23/0.19 mm (23/0076 ")	2,914.00
	03. 2 x 14/0.19mm (14/0076 1/T)	1,513.00
	04. 2 x 23/0.19 mm (23/0076 ")	2,340.00
	05. 2 x 40/0.19 mm (40/0076 ")	3,848.00
16.	PVC Insulated Flexible Single Core (Circular) Cable (BDS:899/2000, BS-6500/69)	
	01. 1 x 0.40 rm (14/0.19 mm S/C)	754.00
	02. 1 x 0.50 rm (16/0.20 mm ")	906.00
	03. 1 x 0.65 rm (23/0.19 mm ")	1,145.00
	04. 1 x 0.75 rm (24/0.20 mm ")	1,266.00
	05. 1 x 1.00 rm (32/0.20 mm ")	1,647.00
	06. 1 x 1.20 rm (40/0.19 mm ")	1,911.00
	07. 1 x 1.50 rm (30/0.25 mm ")	2,416.00
	08. 1 x 2.00 rm (70/0.19 mm ")	3,253.00
	09. 1 x 2.50 rm (50/0.25 mm ")	3,931.00
	10. 1 x 3.00 rm (110/0.19 mm ")	5,083.00
	11. 1 x 4.00 rm (56/0.30 mm ")	6,156.00
17.	PVC Insulated & PVC Sheathed Flexible Cable (Circular) 300/500 V. (BDS:899/2000, BS:6500/69)	
	01. 2 x 0.4 rm (14/0.19 mm 2C)	2,492.00
	02. 2 x 0.5 rm (16/0.20 mm ")	2,792.00
	03. 2 x 0.65 rm (23/0.19 mm ")	3,621.00
	04. 2 x 0.75 rm (24/0.20 mm ")	3,911.00
	05. 2 x 1.0 rm (32/0.20 mm ")	4,812.00
	06. 2 x 1.2 rm (40/0.19 mm ")	5,445.00
	07. 2 x 1.5 rm (30/0.25 mm ")	6,509.00
	08. 2 x 2.0 rm (70/0.19 mm ")	8,772.00
	09. 2 x 2.5 rm (50/0.25 mm ")	10,339.00
	10. 2 x 3.0 rm (110/0.19 mm ")	13,094.00
	11. 2 x 4.0 rm (56/0.30 mm ")	15,781.00
	01. 3 x 0.4 rm (14/0.19 mm 3C)	3,275.00
	02. 3 x 0.5 rm (16/0.20 mm ")	3,725.00
	03. 3 x 0.65 rm (23/0.19 mm ")	4,631.00
	04. 3 x 0.75 rm (24/0.20 mm ")	5,075.00
	05. 3 x 1.0 rm (32/0.20 mm ")	6,311.00
	06. 3 x 1.2 rm (40/0.19 mm ")	7,326.00
	07. 3 x 1.5 rm (30/0.25 mm ")	8,888.00
	08. 3 x 2.0 rm (70/0.19 mm ")	12,343.00
	09. 3 x 2.5 rm (50/0.25 mm ")	14,433.00
	10. 3 x 3.0 rm (110/0.19 mm ")	18,378.00
	11. 3 x 4.0 rm (56/0.30 mm ")	22,223.00
	01. 4 x 0.4 rm (14/0.19 mm 4C)	4,097.00
	02. 4 x 0.5 rm (16/0.20 mm ")	4,747.00
	03. 4 x 0.65 rm (23/0.19 mm ")	5,919.00
	04. 4 x 0.75 rm (24/0.20 mm ")	6,510.00
	05. 4 x 1.0 rm (32/0.20 mm ")	8,300.00
	06. 4 x 1.2 rm (40/0.19 mm ")	9,558.00
	07. 4 x 1.5 rm (30/0.25 mm ")	11,746.00
	08. 4 x 2.0 rm (70/0.19 mm ")	16,040.00
	09. 4 x 2.5 rm (50/0.25 mm ")	18,635.00
	10. 4 x 3.0 rm (110/0.19 mm ")	23,934.00
	11. 4 x 4.0 rm (56/0.30 mm ")	28,760.00
18.	Aerial Cable	
	01. D-11 (Phase)	2,613.00
	02. D-11 (Messenger)	2,110.00
	03. D-11 (Duplex)	4,918.00
	04. D-12 (Phase)	4,485.00
	05. D-12 (Messenger)	4,112.00
	06. D-12 (Duplex)	9,160.00
19.	Ceiling Fan :	Per Pc.
	01. 1400 mm "Lovely Brand"	2,675.00
	02. 1200 mm "Lovely Brand"	2,510.00

Sl. No.	Description	Retail Selling Price Including VAT Per 100 Metre
20	TELECOMMUNICATION CABLE :	
	A) PE Insulated & PVC Sheathed House Wiring Telephone Cable	
	01. 1 PAIR	1,364.00
	02. 2 PAIR	2,306.00
	03. 3 PAIR	3,424.00
	04. 4 PAIR	4,832.00
	05. 5 PAIR	5,766.00
	06. 6 PAIR	6,940.00
	07. 7 PAIR	7,922.00
	08. 8 PAIR	8,894.00
	09. 10 PAIR	11,145.00
	10. 15 PAIR	16,140.00
	11. 20 PAIR	21,334.00
	12. 25 PAIR	26,217.00
	13. 30 PAIR	31,131.00
	14. 40 PAIR	40,623.00
	15. 50 PAIR	50,017.00
	16. 100 PAIR	96,752.00
	B) PE Insulated Flat Twin Core Telephone Cable Drop Wire	
	01. 2 x 0.6 mm Drop Wire	1,142.00
	02. 2 x 0.9 mm	2,266.00
21.	Super Enamelled Copper Wire : OEM Grade	Per Kg
	01. SWG - 12	1,367.00
	02. SWG - 13	1,370.00
	03. SWG - 14	1,372.00
	04. SWG - 15	1,378.00
	05. SWG - 16	1,394.00
	06. SWG - 17	1,403.00
	07. SWG - 18	1,415.00
	08. SWG - 19	1,419.00
	09. SWG - 20	1,425.00
	10. SWG - 21	1,431.00
	11. SWG - 22	1,436.00
	12. SWG - 23	1,438.00
	13. SWG - 24	1,441.00
	14. SWG - 25	1,447.00
	15. SWG - 26	1,450.00
	16. SWG - 27	1,451.00
	17. SWG - 28	1,458.00
	18. SWG - 29	1,460.00
	19. SWG - 30	1,461.00
	20. SWG - 31	1,499.00
	21. SWG - 32	1,505.00
	22. SWG - 33	1,510.00
	23. SWG - 34	1,515.00
	24. SWG - 35	1,519.00
	25. SWG - 36	1,521.00
	26. SWG - 37	1,524.00
	27. SWG - 38	1,532.00
	28. SWG - 39	1,537.00
	29. SWG - 40	1,546.00
22.	Super Enamelled Copper Wire : Rewinding Grade	
	01. SWG - 12 to SWG - 24	845.00
	02. SWG - 25 to SWG - 34	855.00
23.	SUBMERSIBLE WINDING WIRE : OEM Grade	
	01. 1 x 1.4 mm	1,473.00
	02. 1 x 1.5 mm	1,475.00
	03. 1 x 1.6 mm	1,477.00
	04. 1 x 1.7 mm	1,480.00
	05. 1 x 1.8 mm	1,482.00
	06. 1 x 1.9 mm	1,484.00
	07. 1 x 2.0 mm	1,487.00
24.	SUBMERSIBLE WINDING WIRE : Rewinding Grade	
	01. 1 x 1.4 mm to 1 x 2.0 mm	1,095.00

- 1) All previous Price lists stand cancelled.
- 2) Cables in Coil/Reel/Drum different length Selling Price Per/100 Metres, Super Enamelled Copper Wire in Reel Selling Price Per/ Kg, and Fan Price Per/Pc. if not otherwise specified.
- 3) Prices for other sizes are available on request.
- 4) This price list is subject to revision without prior notice.

For BRB Cable Industries Ltd



(Md. Mozibar Rahman)
Chairman